No.



200100091

Unibersity of Arkansus Agricultural Experiment Station

MICCOLO, THERE HAS BEEN PRESENTED TO THE

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED DISTINCT VARIETY OF SEXUALLY REPRODUCED, OR TUBER PROPAGATED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) adjudged to be entitled to a certificate of plant variety protection under the ${
m LAW}$.

NOW THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF TWENTY YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR IMPORTING IT, OR EXPORTING IT,

CONDITIONING IT FOR PROPAGATION, OR STOCKING IT FOR ANY OF THE ABOVE PURPOSE, OR USING IT IN CING A HYBRID OR DIFFERENT VARIETY THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY CTION ACT. IN THE UNITED STATES SEED OF THIS VARIETY (1) SHALL BE SOLD BY VARIETY NAME ONLY AS A INTIFIED SEED AND (2) SHALL CONFORM TO THE NUMBER OF GENERATIONS SPECIFIED BY THE OWNER OF STAT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEO.)

SOYBEAN

'CAVINESS'

In Testimonn Therest, I have hereunto set my hand and caused the seal of the Plant Pariety Arctection Office to be affixed at the City of Washington, D.C. this third day of December, in

U.S. DEPARTMENT OF AGRICULTURE
AGRICULTURAL MARKETING SERVICE
SCIENCE AND TECHNOLOGY - PLANT VARIETY PROTECTION OFFICE

The following state-nents are made in accordance with the Privacy Act of 1974 (5 U.S.C. 552a) and the Paperwork Reduction Act (PRA) of 1995.

APPLICATION FOR PLANT VARIETY PROTECTION CERTIFICATE

Application is required in order to determine if a plant variety protection certificate is to be issued (7 U.S.C. 2421). Information is beld confidential until certificate in

(Instructions and information	collection burden statement	on reve	rse)	WATER THE PERSON OF THE PERSON	i Unio Ceruncai	e = issued (7 U.S.C. 2426).		
1 NAME OF OWNER				2 TEMPORARY DESIGNA	TION OR	2 Marie Pranting		
University of Arka	ansas Agricultrua	al Exp	periment Statio	2. TEMPORARY DESIGNA EXPERIMENTAL NAME IN R93-171	l	3. VARIETY NAME Caviness		
4 ADDRESS (Street and No., or R.F.D. No Agricultural Food	. City. State, and ZIP Code, and Coun and Life Science	wy Suil	dina	5. TELEPHONE (include area code		FOR OFFICIAL VISE ONLY		
Room 217 Fayettville AR 72		- Lull	a.i.g	501-575-6884	Į	PVPO NUMBER		
rayettville Ar /2	2/01			6. FAX (include area code) 501–575–7465		FILING DATE		
7. F THE OWNER NAMED IS NOT A "PER ORGANIZATION (corporation, partnership University, State	CORPORATED, GIVE E OF INCORPORATION	9. DATE OF INCORPORAT	ION	2/03/2001				
10. NAME AND ADDRESS OF OWNER REP	RESENTATIVE(S) TO SERVE IN THE	S APPLICA	TION. (First person listed will rec	ceive all papers)		FILING AND EXAMINATION FEES:		
Don Dombek Department of Crop University of Arka 115 Plant Science Fayetteville, AR	nsas Building	ronmer	ntal Sciences		,	S 2405,00 R DATE 2/2/2001 CERTIFICATION FEE: DATE 9/4/01		
11. TELEPHONE (Include area code)	13. E_MAIL	,	14. CROP	KIND (Common Name)				
501-575-6884	501-575-6884 501-575-7465 ddan			edu	So	ybean		
15 GENUS AND SPECIES NAME OF CROP			16. FAMILY NAME (Bolanica	AMILY NAME (Bolanical) 17. IS THE VARIETY A FIRST GENERA				
Glycine max (L.) Me	err.		leguminoceae	HABBIDS.				
18. CHECK APPROPRIATE BOX FOR EACH reverse)	ATTACHMENT SUBMITTED (Follow is	Instructions	on 19. DOES THE CV CERTIFIED S	MNER SPECIFY THAT SEED (EED? See Section 83(a) of	OF THIS VARI	ETY BE SOLD AS A CLASS OF ety Protection Act)		
a. Exhibit A. Origin and Breeding I			DX V	ES (If "yes", answer items 20 and 21 below)	C	•		
b. A Exhibit B. Statement of Distincts c. D Exhibit C. Objective Description			20 DOES THE OV	20. DOES THE OWNER SPECIFY THAT SEED OF THIS VARIETY BE LIMITED AS TO NUMBER				
d. M Exhibit D. Additional Description	= :	•	OF GENERALI	Of School long?				
e. Kit Exhibit E. Statement of the Besi			2 YE			NO		
repository)	treated seeds or, for tuber propagate, be deposited and maintained in an a ISO), made payable to "Treasurer of th Protection Office)	ipproved pu		21. IF "YES" TO ITEM 20, WHICH CLASSES OF PRODUCTION BEYOND BREEDER SEED? TOUNDATION REGISTERED CERTIFIED				
2. HAS THE VARIETY (INCLUDING ANY HAF FROM THIS VARIETY BEEN SOLD, DISPO OTHER COUNTRIES?	IVESTED MATERIAL) OR A HYBRID ISED OF, TRANSFERRED, OR USED	PRODUCE DIN THE U	D 23. IS THE VARIET S. OR PROPERTY RI	TY OR ANY COMPONENT OF GHT (PLANT BREEDIER'S RIG	THE VARIETY HT OR PATE	PROTECTED BY INTELLECTUAL		
YES F YES, YOU MUST PROVIDE THE DATE	OF EIRST SALE DISPOSITION TO	MCECO O	Blice Exception					
FOR EACH COUNTRY AND THE CIRCUM	STANCES. (Please use space indica	sted on reve	rse.) REFERENCE N	E GIVE COUNTRY, DATE OF I UMBER. (Please use space in	dicated on rev	erse.)		
 The owners declare that a viable sample of for a silver propagated variety a tissue cutu 	a am ta deboard as a broacsabord		in remaind for sail detailing to 340 C	eruncare.				
The undersigned owner(s) is(are) the owner and is entitled to protection under the provis	of this sexually reproduced or taker pions of Section 42 of the Plant Variety	propagated ; Protection	plant variety, and believe(s) that Act.	the variety is new, distinct, unit	form, and stab	le as required in Section 42,		
Owner(s) is(are) informed that talse represe	ntation herein can jeopardize protection	on and resu	it in penaties.					
IGNATURE OF OWNER			SIGNATURE OF O	MNER				
Fren (Ne den)	AWW		NAME (Please print	or type)				
APACITY OR TITLE Interim Lean	DATE // 2	6/0	1	CAPACITY OR TITLE DATE				
		· · · · · · · · · · · · · · · · · · ·						

GENERAL: To be effectively filed with the Plant Variety Protection Office (PVPO), ALL of the following items must be received in the PVPO: (1) Completed application form signed by the owner: (2) completed exhibits A, B, C, E; (3) for a seed reproduced variety at least 2,500 viable untreated seeds, for a hybrid variety at least 2,500 untreated seeds of each line necessary to reproduce the variety, or for tuber reproduced varieties verification that a viable (in the sense that it will reproduce an entire plant) tissue culture will be deposited and maintained in an approved public repository; (4) check drawn on a U.S. bank for \$2,450 (\$300 filing fee and \$2,150 examination fee), payable to "Treasurer of the United States" (See Section 97.6 of the Regulations and Rules of Practice.) Partial applications will be held in the PVPO for not more than 90 days, then returned to the applicant as unfiled. Mail application and other requirements to Plant Variety Protection Office, AMS, USDA, Room 500, NAL Building, 10301 Baltimore Avenue, Beltsville, MD 20705-2351. Retain one copy for your files. All items on the face of the application are self explanatory unless noted below. Corrections on the application form and exhibits must be initialed and dated. DO NOT use masking materials to make corrections. If a certificate is allowed, you will be requested to send a check payable to "Treasurer of the United States" in the amount

Plant Variety Protection Office Telephone: (301) 504-5518 FAX: (301) 504-5291

Homepage: http://www.ams.usda.gov/science/pvp.htm

ITEM

18a. Give:

- (1) the genealogy, including public and commercial varieties, lines, or clones used, and the breeding method;
- (2) the details of subsequent stages of selection and multiplication:
- (3) evidence of uniformity and stability; and
- (4) the type and frequency of variants during reproduction and multiplication and state how these variants may be identified
- 18b. Give a summary of the variety's distinctness. Clearly state how this application variety may be distinguished from all other varieties in the same crop. If the
 - (1) identify these varieties and state all differences objectively:
 - (2) attach statistical data for characters expressed numerically and demonstrate that these are clear differences; and
 - (3) submit, if helpful, seed and plant specimens or photographs (prints) of seed and plant comparisons which clearly indicate distinctness
- 18c. Exhibit C forms are available from the PVPO Office for most crops; specify crop kind. Fill in Exhibit C (Objective Description of Variety) form as completely
- 18d. Optional additional characteristics and/or photographs. Describe any additional characteristics that cannot be accurately conveyed in Exhibit C. Use comparative varieties as is necessary to reveal more accurately the characteristics that are difficult to describe, such as plant habit, plant color, disease
- 18e. Section 52(5) of the Act requires applicants to furnish a statement of the basis of the applicant's ownership. An Exhibit E form is available from the PVPO.
- 19. If "Yes" is specified (seed of this variety be sold by variety name only, as a class of certified seed), the applicant MAY NOT reverse this affirmative decision after the variety has been sold and so labeled, the decision published, or the certificate issued. However, if "No" has been specified, the applicant may
- 22. See Sections 41, 42, and 43 of the Act and Section 97.5 of the regulations for eligibility requirements.
- 23. See Section 5.5 of the Act for instructions on claiming the benefit of an earlier filing date.
- 22. CONTINUED FROM FRONT (Please provide the date of first sale, disposition, transfer, or use for each country and the circumstances, if the variety (including any harvested material) or a hybrid produced from this variety has been sold, disposed of, transferred, or used in the U.S. or other countries.)

February 9, 2000, in the United States of America.

23. CONTINUED FROM FRONT (Please give the country, date of filing or issuance, and assigned reference number, if the variety or any component of the

NOTES: It is the responsibility of the applicant/owner to keep the PVPO informed of any changes of address or change of ownership or assignment or owner's representative during the life of the application/certificate. There is no charge for filing a change of address. The fee for filing a change of ownership or assignment or any modification of owner's name is specified in Section 97.175 of the regulations. (See Section 101 of the Act, and Sections 97.130, 97.131, 97.175(h) of the Regulations and Rules of Practice.)

To avoid conflict with other variety names in use, the applicant must check the variety names proposed by contacting: Seed Branch, AMS, USDA, Room 213, Building 306, Beltsville Agricultural Research Center-East, Beltsville, MD 20705. Telephone: (301) 504-8089.

Public reporting burden for this collection of information is estimated to everage 30 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send community regarding this burden estimate or any other espect of this collection of information, including suggestions for seasons are required in second to a collection of information unless it discharge would CMR control number.

White Building, Washington, D.C. 20250. When replying, refer to OMB No. 0581-0056 and form number in your

ang ares burden, to Lapparament of Agriculture, Chestence Unicer, Ourcet, Als both Found. Whitten Building, Washington, D.C. 20250. When replying, refer to OMB No. 0581-0055 and form number in your Lindor the PFRA of 1995, no persons are required to espond to a collection of information unless it displays a valid OMB control number.

The U.S. Department of Agriculture (USDA) prohibbs discribinspion in its programs on the basis of race, color, national origin, sex, religion, age, disability, political beliefs, and marital or familial status. (Not all news) are programs). Persons with disabilities who require alternative means for communication of program information (braille, large print, audiotage, etc.) should contact the USDA Office of possesses separ to an judicing. Formula must be Secretary of Agriculture, U.S. Department of Agriculture, Washington, D.C. 20250, or call (202) 720-7327 (voice) or (202) 720-1327 (voice) or (202) 720-

58T-470 (6-98) designed by the Plant Variety Protection Office with WordPerfect 6.0a. Replaces STD-470 (03-96) which is obsolete.

Exhibit A: Origin and Breeding History

- 1. Caviness is derived from a cross of Asgrow Seed Company A5403 x Hutcheson¹. A5403 is derived from a cross A5474 x X4521. A5474 is derived from a cross of J74-122 and a breeding lines derived from the cross of Tracy²//Tracy/D71-6234. pedigree of J74-122 is Forrest³*2//D68-18/PI88788. The pedigree of D68-18 is Dyer⁴/Bragg⁵. The pedigree of D71-6234 is PI95960/D66-7398. The pedigree of D66-7398 is D49-2491*2/PI96035. The pedigree of D49-2491 traces back to two ancestral lines, CNS and S100. X4521 was derived from a cross of Williams⁶ x Columbus⁷. The F₁ was grown in the summer of 1990 in Fayetteville, Arkansas. F₂ seed was bulked and advanced to the F3 generation by modified single-seed-descent during the winter of 1990-91 in Belize, Central America. The F3 generation was grown during the summer of 1991 at Fayetteville and F4 seed was obtained by modified single-seed-descent. The F4 population was grown in Fayetteville during the summer of 1992 and F₅ families (F_{4:5}) were generated via random selection. The F4:5 families were grown at the Rice Research and Extension Center, Stuttgart AR, during the summer of 1993 and Caviness was bulked from a single F_{4:5} row (row 171). [References 1. Crop Sci. 28:1024, 2. Crop Sci.14:777, 3. Crop Sci. 13:287, 4. Crop Sci. 8:402, 5. Crop Sci. 4:664, 6. Crop Sci. 12:716, 7. Crop Sci. 12:3967
- 2. Caviness was tested as an F4:6 bulk in the University of Arkansas Preliminary trials in 1994 at the Northeast Research and Extension Center (NEREC), Keiser AR, and the Rice Research and Extension Center (RREC) at Stuttgart AR. From 1995 to 1997 it was evaluated in the UA advanced strains trials conducted at NEREC (Kei.), RREC (Stu.), Pine Tree Branch Station in Pine Tree AR (Ptr), Cotton Branch Station at Marianna AR (Mar), and the Southeast Branch Station at Rohwer AR (Roh.). In 1997, Caviness was also entered in the University of Arkansas Commercial Cultivar trials conducted by Mr. Don Dombek and in the Mississippi Commercial Cultivar trials conducted by Mr. Joe Askew of the MAFES. The University of Arkansas commercial trials are conducted in southwest AR as well as the AR sites listed above. The Mississippi trial is conducted at four delta-region locations and four hill-region locations each year. Caviness was also evaluated in the USDA Uniform trials from 1996 to 1997. Caviness has been evaluated for yield at a total of 69 environments.

In each series of tests, Caviness was evaluated for yield, height, lodging, and maturity both across all locations and within individual test sites. Selection was based on yield potential, maturity, height, and general agronomic value.

A seed increase of Caviness was initiated in 1996. The seed has been increase in each successive year. In 1996, seed was obtained from 1995 yield plots and 1/6 acre was planted in Fayetteville, AR. This plot was rogued extensively for flower color, pubescence color, maturity, and height variants. Seed was harvested from this plot and used to plant a one acre plot in 1997 at the RREC. This plot was also extensively rogued and harvested. This seed was used to plant nearly 15 acres of Caviness in 1998. This field was also rogued. Seed from this field was harvested and used to produce foundation seed in 1999 at RREC and PTR.

3. Caviness has been observed for seven generations of testing and seed increase and is stable for its distinguishing characteristics (see exhibit C). The seven generation were: F4:6 bulk (1993), F4:7 (1994), F4:8 (1995), F4:9 (1996), F4:10 (1997), F4:11 (1998), F4:12 (1999). Caviness may have up to 1% off-types. These include imperfect black hila, black hila, purple flowered, and tawney pubescenced individuals. In addition, height variants (2 to 5 inches) may be noted within a uniform field of Caviness inches.

Table 2. Performance of Caviness in the 1995, 1996, and 1996 University of Arkansas advanced group V trial. Means are presented across five irrigated test sites in each year. An LSD was used to test the significance of the difference between the means of Caviness and Hutcheson. The LSD value was calculated using data from only Caviness and Hutcheson. The genotype x location mean square was used as the error mean square. The five tests that were used to obtain the average for each year were planted at Keiser, Marianna, Pine Tree, Stuttgart, and Rohwer AR each year. Plots at all locations except Keiser consisted of 4 rows, each row being 16 foot long at harvest, with rows being from 30-38 inches apart. Plots at Rohwer consisted of five rows, each being 20 foot long at harvest and each being 19 inches apart. Two replications were used at each location and all plots were irrigated and planted between mid-May and the first week of June. Thus each comparison is based on 10 observations. Plots were typically harvested in mid-October. Plant height was measured at maturity on one typical plant per plot. Seed weight was determined from 100 random seeds sampled from the seed harvested from each plot.

	Height (inches)			Seed size (gms per 100 seeds		
	1995	1996	1997	1995	1996	1997
CAVINESS	30	31	28	13.6	13.4	12.3
HUTCHESON	28	29	25	13.0	13.2	11.6
Cav - Hutch	2	2	3	0.6	0.2	0.7
LSD(0.05)	2.1	1.7	2.0	0.5	0.6	0.6
# environments	5	5	5	5	5	5

Exhibit B: Statement of Distinctness.

Caviness is most similar to Hutcheson and A5403, which are the parents of Caviness. Caviness has white flower, gray pubescence, ovate leaves, and a determinate growth habit like Hutcheson. Caviness is also similar to A5403, which has gray pubescence, ovate leaves, and a determinate growth habit, but A5403 has purple flowers while the flowers of Caviness are white. Based on 24 SSR markers that were polymorphic between A5403, Hutcheson, and Caviness, Caviness was different from A5403 at 9 markers; Caviness was distinct from Hutcheson at 14 markers (Table 1).

Table 1. Genotype at 24 SSR marker loci of Caviness and its parents, A5403 and Hutcheson.

	Rand	size in base	ngire
Marker		Hutcheson	A5403
GMABAB	161	161	150
Sat_085	176	176	204
Sat_088	150	130	150
Sat_133	222	222	253
Satt095	173	170	173
Satt139	230	230	183
Satt152	235	252	235
Satt175	173	176	173
Satt180	246	246	270
Satt195	195	192	195
Satt245	199	216	199
Satt256	240	229	240
Satt288	224	224	249
Satt294	251	251	289
Satt306	236	231	236
Satt311	183	183	195
Satt369	253	119	253
Satt371	249	273	249
Satt373	286	249	286
Satt385	266	266	306
Satt414	313	267	313
Satt536	162	166	162
Satt561	249	242	249

In the University of Arkansas multi-location yield trials conducted in 1995, 1996 and 1997, Caviness is on average 2 inches taller than Hutcheson (Table 2). This difference ranged from 2 to 3 inches in the three separate years (Table 2). The seeds of Caviness were significantly larger than the seeds of Hutcheson, weighing on average 0.5 grams per 100 seeds more than Hutcheson (Table 2). This difference ranged from 0.2 to 0.7 in the three separate years (Table 2). Details of these trials and statistics are given in Table 2.

Form Approved - OMB No. 0581-0055

According to the Paperwork Reduction Act of 1995, an agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control number for this collection of information is (0581-0055). The time required to complete this information collection is estimated to average 30 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, gender, religion, age, disability, political beliefs, sexual orientation, and marital or family status. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (Braille , large print, audiotape, etc.) should contact the USDA's TARGET Center at 202-720-2600 (voice and TDD).

To file a complaint of discrimination, write USDA, Director, Office of Civil Rights, Room 326-W, Whitten Building, 14th and Independence Avenue, SW, Washington, DC 20250-9410 or call (202) 720-5964 (voice and TDD). USDA is an equal opportunity provider and employer.

> U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE SCIENCE AND TECHNOLOGY PLANT VARIETY PROTECTION OFFICE **BELTSVILLE, MD 20705**

EXHIBIT C (Soybean)

OBJECTIVE DESCRIPTION OF VARIETY SOYBEAN (Glycine max (L.) Merr.)

NAME OF APPLICANT(S) University of Arkansas Agricultural I	ivneriment Ct	ration	FOR OFFICIAL USE ONLY						
ADDRESS (Street and No. or R.F.D. No., City, State, and ZIP Code)	Mportment of	acion .	PVPONUMBER OF O O O						
Agricultural Food and Life Sciences Room 217	Building		VARIETY NAME						
Fayetteville, AR 72701			Caviness						
			TEMPORARY OR EXPERIMENTAL						
			DESIGNATION R93-171						
PLEASE READ ALL INSTRUCTIONS CAREFULLY: Place below. Place a zero in the first box (e.g. 9 9 9 or quantitative plant characters should be based on a minimum of 100 plants. Horticultural Society or any recognized color standard may be Please answer all questions for your variety; lack of response materials. MORPHOLOGY Seed Shape:	9) when an Comparative data sho used to determine pla	umber is either 99 or less ould be determined from nt colors; designate syste	etal character of this variety in the boxes or 9 or less respectively. Data for varieties entered in the same trial. Royal						
1 = Spherical (L/W, L/T, and T/W ratios < 1.2)		ical-Flattened .2; L/T ratio < 1.2)							
3 = Elongate (L/T ratio > 1.2; T/W ratio < 1.2)	4 = Elongate-l (L/T ratio > 1.	Flattened 2;T/W ratio > 1.2)							
Seed Coat Color:									
1 = Yellow 2 = Green	3 = Brown	4 = Black	5 = Other (Please Specify)						
Seed Coat Luster:									
1 = Dull 2 = Shiny									
Seed Size:		* •							
grams/100 seeds		<i>)</i>							
Hilum Color:		,	•						
7 1 = Buff 2 = Yellow 3 7 = Other (<i>Please S</i>)	= Brown Specify) Buff	4 = Gray	5 = Imperfect Black						

	A Committee of the Comm	
A	MORPHOLOGY	(C'ontinu <i>ot</i>
73.	MOM HODOUX	(COMMUNICA)

Cotyledon Color:

1 = Yellow

2 = Green

"200100091

Seed Protein Peroxidase Activity:

1 = Low

2 = High

Hypocotyl Color:

1 = Green ('Evans' or 'Davis') Bands below Cotyledons

2 = Green with Bronze

3 = Light Purple below Cotyledons 4 = Dark Purple extending to unifoliolate leaves ('Hodgson',

('Woodworth' or 'Tracy') ('Beeson' or 'Pickett 71') 'Coker', or 'Hampton 266A')

Leaflet Shape:

3

1 = Lanceolate

2 = Oval

3 = Ovate

4 = Other (*Please Specify*)

Flower Color:

1 = White

2 = Purple

3 = White with a Purple Throat

Pod Color:

= Tan

2 = Brown

3 = Black

Pubescence Color:

1 = Gray

3 = Light Tawny

Plant Habit:

1

1 = Determinate

2 = Semi - Determinate

2 = Brown (Tawny)

3 = Indeterminate

4 = Intermediate

Maturity Group:

1 = 0006 = III

2 = 00

3 = 08 = V 4 = I9 = VI $5 = \Pi$ 10 = VII

8

11 = VIII

7 = IV12 = IX

13 = X

14 = XI

15 = XII

Maturity Subgroup:

Please enter a value from 0 - 9

B. DISEASE REACTIONS

0 = Not Tested

1 = Susceptible

2 = Resistant

3 = Tolerant

Bacterial

Bacterial Pustule (Xanthomonas campestris pv. glycines (Nakano) Dye)

Bacterial Blight (Pseudomonas syringae pv. glycinea (Coerper) Young, Dye, & Wilkie)

0 Wildfire Blight (Pseudomonas syringae pv. tabaci (Wolf & Foster) Young, Dye, & Wilkie)

Fung	al							-		~
0	Brown Spot (Septoria glycines	Hemmi)					20	0 1.0 (0 0
	Frogeye Leaf	Spot (<i>Cercospor</i>	a sojina H:	ara)						
0	race 1		0 ra	ace 2		0	race 3	o ra	ace 4	
٥	race 5		0 ra	ace 6		0	Other (Ple	ase Specify) _		
0	Target Spot (Corynespora cas	s <i>iicola</i> (Bei	rk. & Curt.) `	Wei)					
0	Downey Milde	ew (Peronospora	trifoliorun	n var. <i>manc</i> i	hurica (N	aum.) Syd	l. ex Gäum)			
0	Powdery Mild	lew (<i>Microsphae</i>	ra diffusa (Cke, & Pk.)						
0	Brown Stem F	Rot (<i>Phialophora</i>	i gregata (A	Allington & C	Chamberl	ain) W. G	ams.)			
2	Stem Canker	(Diaporthe phas	eolorum (C	Cke. & Ell.) S	acc. var. o	caulivora .	Athow & Ca	ildwell)		
0	Pod and Stem	Blight (Diaporti	he phaseold	orum (Cke. &	z Ell.) Sac	c. var. <i>soj</i>	<i>iae</i> (Lehman) Wehm.)		
0	Purple Seed St	tain (<i>Cercospora</i>	kikuchii (".	Γ. Matsu. & '	Tomoyası	u) Garder	ier)			
o	Rhizoctonia R	oot Rot (<i>Rhizoci</i>	onia solani	Kühn)						
Phytop	ohthora Root Ro	t (<i>Phytophthora</i>	megaspern	na Drechs. f.	sp. <i>glycin</i>	ea (Kuan	& Erwin))			
0	race 1	o race 8	0	race 15	0	race 22				
0	race 2	0 race 9	0	race 16	0	race 23				٠, .
1	race 3	o race 10	0	race 17	0	race 24				
0_	race 4	o race 11	0	race 18	0	race 25	•			•
0	race 5	0 race 12	0	race 19	0	race 26				
0	race 6	0 race 13	0	race 20	0	Other (A	Please Specif	(v)	**.	
0	race 7	0 race 14	0	race 21				•		
0	Bud Blight (To	bacco Ringspot	Virus)				• .			
			•							÷
0	Yellow Mosaic	(Bean Yellow M	losaic Viru	s)						

0 = Not Tested

1 = Susceptible

3 = Tolerant

2 = Resistant

B. DISEASE REACTIONS (Continued)


B. DISEASE REACTIONS (Continued)	0 = Not Tested	1 = Susceptible	2 = Resistant	3 = Tolerant
O Cowpea Mosaic (Cowpea Chlorotic V	/irus)		ոկ 2 Ո	010009
O Pod Mottle (Bean Pod Mottle Virus)			<u></u>	9 1 2 9 3
O Seed Mottle (Soybean Mosaic Virus)				
Nematode				
Soybean Cyst Nematode (Heterodera glycines	Ichinohe)			
0 race 1 0 race 4	1 race 9)		
1 race 2 1 race 5	race 1	14		•
race 3 race 6	Other	(Please Specify)		
1 Lance Nematode (Hoplolaimus colum	ıbus Sher)			
O Southern Root Knot Nematode (Melo	idogyne incognita (F	Kofoid & White) Chity	vood)	
0 Northern Root Knot Nematode (Melo	oldogyne hapla Chitv	vood)		
O Peanut Root Knot Nematode (Meloid	ogyne arenaria (Nea	l) Chitwood)		
0 Reniform Nematode (Rotylenchus ren	iformus Linwood &	Olivera)		
Javanese Nematode (Meloidogyne jav	<i>anica</i> (Treub) Chitw	rood)		
Other Nematode (Please Specify)			·	
C. PHYSIOLOGICAL RESPONSES	0 = Not Tested	1 = Susceptible	2 = Resistant	3 = Tolerant
0 Iron Chlorosis on Calcareous Soil				•
Phosphorus	Other	(Please Specify)		
Boron	· • • • • • • • • • • • • • • • • • • •			
O BOTON				
O Aluminum		•		
O Salt			e de la companya de l	
Drought 0				

- 1		SECT REACTIONS	o-not rested	1 - Susceptible	2 Recolstant	J — Tolcia	
	0	Mexican Bean Beetle (Epilachna	varivestis Mulsant)		20	0100	091
	0	Potato Leaf Hopper (Empoasca f	abae (Harris))				
	0	Other (Please Specify)		_			
Ē.	HE	RBICIDE REACTIONS	0 = Not Tested	1 = Susceptible	2 = Resistant		
ě	а	Metribuzin		·			
	0	Bentazone					
C)	Sulfonylurea					
1	L	Glyphosate					
1		Glufosinate					
0		Pendimethalin					
		Other (Please Specify)		-			
F.	TRA	ANSGENIC COMPOSITION					
		development of the subject variety		of genetic material fro	om an organism ot	her than a so	ybean, or,
If ye	es, pl	lease complete the following inform	nation requests*. Use a	dditional pages if nece	essary.	S X	
1.	Plea	se state the vector's name:					_
2.	Plea	se state the vector components:					
3. I	Plea	se describe the genetic material su	ccessfully transferred in	nto the subject variety	/ :		
4.]	Plea	se describe the insertion protocol:					
		erature citation(s) explaining the sansgenic Composition" portion of		ts above may be an ac	cceptable alternati	ive to comple	tion of the
G.]	BIO	CHEMICAL MARKERS					
	ple S	escribe any biochemical informatio equence Repeats, Restriction Frag y.					
		ness (R93-171) has been	characterized wit	h 209 soybean s	SSR primers (see attac	hed

sheet)

П

SSR Primer	Band size	SSR Primer	Band size	Cen D	Dond size	leep p.:	5
GMABAB	16°		198	SSR Primer Satt311	Band size	SSR Primer	Band size
GMENOD2B	167		232		183 163	Satt495 Satt501	247
GMRUBP	131		280		244	Satt511	341
Sat_038	166		236	=	205	Satt513	258 114
Sat_042	138		207		268	Satt516	254
Sat_044	152		247		239	Satt522	237
Sat_074	257		195		230	Satt524	166
Sat_084	154	Satt196	190	· -	253	Satt531	240
Sat_085	176		174		266	Satt532	176
Sat_088	150	Satt199	159		249	Satt536	162
Sat_089	172	Satt200	245		252	Satt539	159
Sat_091	153	Satt201	288	Satt336	179	Satt541	175
Sat_094	278	Satt202	280	Satt339	234	Satt545	202
Sat_106	244		239	Satt345	201	Satt548	208
Sat_118	200		171	Satt346	212	Satt549	210
Sat_120	329	Satt212	154	Satt349	181	Satt551	229
Sat_121	193	Satt215	134	Satt354	251	Satt554	259
Sat_124	259	Satt217	256	Satt356	248	Satt559	189
Sat_130	287	Satt220	249	Satt357	215	Satt560	273
Sat_133	222	Satt224	161	Satt359	194	Satt561	249
Satt002	121	Satt225	106	Satt367	252	Satt563	165
Satt006	152	Satt232	263	Satt368	111	Satt571	128
Satt022	195	Satt233	202	Satt369	253	Satt588	169
Satt038	175	Satt234	217	Satt371	249	Satt590	316
Satt042	102	Satt235	135	Satt372	251	Satt593	187
Satt052	104	Satt237	255	Satt373	286	Satt597	155
Satt072	202	Satt239	195	Satt378	166	Satt598	172 :
Satt089	155	Satt243	212	Satt380	140	Satt599	185
Satt095	173	Satt245	199	Satt381	230	Sct_026	122
Satt102	151	Satt247	214	Satt384	149	Sct_064	146
Satt114 Satt117	109	Satt249	252	Satt385	266	Sct_065	162
Satt120	144 160	Satt252	209	Satt387	201	Sct_186	251
Satt128	280	Satt253	151	Satt390	228	Sct_188	295
Satt132	252	Satt255 Satt256	142	Satt394	274	Sct_189	255
Satt133	181	Satt259	240 202	Satt395	280	Sctt_008	90
Satt139	230	Satt260	219	Satt396	178	SOYGPATR	113
Satt144	228	Satt262	219	Satt405 Satt408	305 400	SOYHSP176	117
Satt145	153	Satt263	233	Satt411	192	SOYLBC	176
Satt147	192	Satt267	230	Satt414	99		
Satt148	295	Satt268	248	Satt415	313 296		
Satt152	235	Satt269	256	Satt416	378		·
Satt155	158	Satt270	225	Satt419	247		
Satt158	196	Satt271	113	Satt422	209		•
Satt159	269	Satt273	284	Satt434	316		
Satt161	218	Satt277	177	Satt435	286		
Satt164	226	Satt280	231	Satt437	264		
Satt165	283	Satt285	206	Satt441	268		
Satt166	262	Satt288	224	Satt445	199		
Satt168	229	Satt290	235	Satt452	210		
Satt171	280	Satt293	207	Satt453	233		
Satt172	225	Satt294	251	Satt455	256		
Satt173	253	Satt300	238	Satt459	184		
Satt175	173	Satt302	256	Satt462	183		
Satt177	109	Satt306	236	Satt463	122		
Satt178	178	Satt307	. 173	Satt477	141		
Satt180	246	Satt309	126	Satt490	295		
					•		the state of the s



U.S. DEPARTMENT OF AGRICULTURE The following statements are made in accordance with the Privacy Act of AGRICULTURAL MARKETING SERVICE 1974 (5 U.S.C. 552a) and the Paperwork Reduction Act (PRA) of 1995. **EXHIBIT E** Application is required in order to determine if a plant variety protection STATEMENT OF THE BASIS OF OWNERSHIP certificate is to be issued (7 U.S.C. 2421). Information is held confidential until certificate is issued (7 U.S.C. 2426). 1. NAME OF APPLICANT(S) 2. TEMPORARY DESIGNATION 3. VARIETY NAME OR EXPERIMENTAL NUMBER University of ARkansas Agricultural Experiment Station R93-171 Caviness 4. ADDRESS (Street and No., or R.F.D. No., City, State, and ZIP, and Country) 5. TELEPHONE (include area code) 6. FAX (include area code) Agricultural Food and Life Science Building Room 217 501-575-6884 501-575-7465 Fayettville, AR 72701 7. PVPO NUMBER in 2 0 0 8. Does the applicant own all rights to the variety? Mark an "X" in appropriate block. If no, please explain. NO 9. Is the applicant (individual or company) a U.S. national or U.S. based company? YES 1 NO If no, give name of country 10. Is the applicant the original owner? XX YES If no, please answer one of the following: a. If original rights to variety were owned by individual(s), is (are) the original owner(s) a U.S. national(s)? "I YES NO If no, give name of country b. If original rights to variety were owned by a company(ies), is(are) the original owner(s) a U.S. based company? T YES if no, give name of country ON [11. Additional explanation on ownership (if needed, use reverse for extra space): PLEASE NOTE: Plant variety protection can be afforded only to owners (not licensees) who meet one of the following criteria: 1. If the rights to the variety are owned by the original breeder, that person must be a U.S. national, national of a UPOV member country, or national of a country which affords similar protection to nationals of the U.S. for the same genus and species, 2. If the rights to the variety are owned by the company which employed the original breeder(s), the company must be U.S. based, owned by nationals of a UPOV member country, or owned by nationals of a country which affords similar protection to nationals of the U.S. for the same genus and species. 3. If the applicant is an owner who is not the original owner, both the original owner and the applicant must meet one of the above criteria. The original breeder/owner may be the individual or company who directed final breeding. See Section 41(a)(2) of the Plant Variety Protection Act for definition.

According to the Paperwork Raduction Act of 1995, no persons are required to respond to a collection of information unless & displays a valid OMB control number. The valid OMB control number for this information collection is 0581-0055. The time required to compete this information collection is estimated to average 10 minutes per response, including the time for reviewing instructions, searching existing data sources, gethering and maintaining the data needed, and completing and reviewing the collection of information.

The U.S. Department of Agriculture (USDA) prohible discrimination in its programs on the basis of race, color, national origin, sex, refigion, age, disability, political beliefs, and maritel or familiel status. (Not all prohibited bases apply to all programs). Persons with disabilities who require alternative means for communication of program information (braille, large print, audiotape, etc.) should contact USDA's TARGET Center at 202-720-2600 (voice and TDD).

To file a compleint, write the Secretary of Agriculture, U.S. Department of Agriculture, Westington, D.C. 20250, or call 1-800-245-6340 (voice) or (202) 720-1127 (TDD). USDA is an equal employment opportunity employer.

STD-470-E (07-97) (Destroy previous editions).
Electronic version designed using WordPerfect InForms by USDA-AMS-IMB.